

Emission Test Certificate

Wednesday, 9th March 2016

Supplier: Supertuft Pty Ltd (14 Prince Patrick Street, Richmond, VIC 3121)

Sample Description: Groove

Date Tested: February 2016 (Tested by FORAY Laboratories – NATA Accreditation 1231)

Test Method: Carpet Institute of Australia Environmental Certification Scheme incorporating ISO 10580: “Resilient, Textile and Laminate Floor Coverings: Evaluation of Volatile Organic Compound Emissions”.

Emission Data:

Carpet Institute of Australia Environmental Certification Scheme Specification	Groove
Total Volatile Organic Compound emission rate <500 µg/m ² /hr	Total Volatile Organic Compound emission rate 8 µg/m ² /hr
Emission Rate “Chemicals of Concern”: Acetaldehyde <20 µg/m ² /hr Benzene <55 µg/m ² /hr Caprolactam <120 µg/m ² /hr 2-Ethylhexanoic Acid <46 µg/m ² /hr Formaldehyde <10 µg/m ² /hr 1-Methyl-2-Pyrrolidinone <300 µg/m ² /hr Naphthalene <20 µg/m ² /hr Nonanal <24 µg/m ² /hr Octanal <24 µg/m ² /hr 4-Phenylcyclohexene <50 µg/m ² /hr Styrene <410 µg/m ² /hr Toluene <280 µg/m ² /hr Vinyl Acetate <400 µg/m ² /hr 2-Ethyl-1-Hexanol <50 µg/m ² /hr Hydrocarbons (C ₁₀ – C ₁₄) <300 µg/m ² /hr Xylenes <50 µg/m ² /hr Vinyl Cyclohexene <85 µg/m ² /hr	Emission Rate: 2 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <2 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <2 µg/m ² /hr <2 µg/m ² /hr 7 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr <3 µg/m ² /hr



Dr. Vyt Garnys
PhD, BSc(Hons) AIMM, ARACI, ISIAQ
ACA, AIRAH, FMA
Managing Director and Principal Consultant



Nick Joy
BSc(Hons)
Consultant



Tuan Duong
B Eng. (Chem.)
Consultant

CV160222